

# SAFETY DATA SHEET

Creation Date 15-Sep-2014

Revision Date 12-Aug-2015

**Revision Number** 2

1. Identification

AC389920000; AC389920050; AC389921000; AC389922500

**Product Name** 

Mercury(I) sulfate

Cat No. :

Mercurous sulfate Synonyms

**Recommended Use** 

Laboratory chemicals.

Uses advised against No Information available Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 2
Acute dermal toxicity	Category 1
Acute Inhalation Toxicity - Dusts and Mists	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system	n (CNS).
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Kidney.	

# Label Elements

Signal Word Danger

# **Hazard Statements**

Fatal if swallowed Fatal in contact with skin Fatal if inhaled May cause respiratory irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



# **Precautionary Statements**

# Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not get in eyes, on skin, or on clothing Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/sprav Use only outdoors or in a well-ventilated area Wear respiratory protection

# Response

Get medical attention/advice if you feel unwell

# Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell Skin

Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Gently wash with plenty of soap and water

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

# Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

# 3. Composition / information on ingredients

Compon	Weight %					
Mercurous	sulfate	7783-36-0	97			
	4.	First-aid measures				
General Advice	Show this sa required.	fety data sheet to the doctor in attenda	ance. Immediate medical attention is			
Eye Contact		In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.				
Skin Contact	Immediate m least 15 minu	•	mmediately with plenty of water for at			
Inhalation	Move to fresh	n air. If breathing is difficult, give oxyge	en. Immediate medical attention is			

		h-to-mouth resuscitation if victir I respiration with a respiratory n	
Ingestion	Do not induce vomiting. C	all a physician or Poison Contro	bl Center immediately.
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically		
	5. Fire-fighti	ng measures	
Unsuitable Extinguishing Media	No information available	-	
Flash Point Method -	No information available No information available		
Autoignition Temperature Explosion Limits			
Upper	No data available		
Lower Sensitivity to Mechanical Impa	No data available		
Sensitivity to Static Discharge			
Specific Hazards Arising from the Do not allow run-off from fire fighting	<b>Chemical</b> to enter drains or water cour	ses.	
Hazardous Combustion Products			
Sulfur oxides <b>Protective Equipment and Precau</b> As in any fire, wear self-contained by protective gear. Thermal decomposi <u>NFPA</u> Health	reathing apparatus pressure-o tion can lead to release of irrit Flammability	ating gases and vapors.	Physical hazards
Sulfur oxides <b>Protective Equipment and Precau</b> As in any fire, wear self-contained be protective gear. Thermal decomposi <b>NFPA</b>	reathing apparatus pressure- tion can lead to release of irri	ating gases and vapors.	
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi <u>NFPA</u> <u>Health</u> 4	reathing apparatus pressure-o tion can lead to release of irrit Flammability 1 6. Accidental re	Instability 0 Iease measures	Physical hazards N/A
Sulfur oxides <b>Protective Equipment and Precau</b> As in any fire, wear self-contained by protective gear. Thermal decomposi <u>NFPA</u> Health	reathing apparatus pressure-o tion can lead to release of irrit Flammability 1 6. Accidental re Ensure adequate ventilatio and upwind of spill/leak. E Do not flush into surface w contaminate ground water should be advised if signif	Instability 0 Iease measures on. Use personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e	Physical hazards N/A ipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additiona
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi NFPA Health 4 Personal Precautions	reathing apparatus pressure-o tion can lead to release of irrit Flammability 1 6. Accidental re Ensure adequate ventilatio and upwind of spill/leak. E Do not flush into surface w contaminate ground water should be advised if signif ecological information. Ave	Instability 0 Iease measures on. Use personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contai bid release to the environment.	Physical hazards N/A hipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additional Collect spillage.
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi NFPA Health 4 Personal Precautions Environmental Precautions Methods for Containment and Cle Up	reathing apparatus pressure-of tion can lead to release of irrite Flammability 1 6. Accidental re Ensure adequate ventilation and upwind of spill/leak. E Do not flush into surface w contaminate ground water should be advised if signiff ecological information. Ave ean Avoid dust formation. Swe disposal. 7. Handling	Instability 0 Iease measures on. Use personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contai bid release to the environment. ep up or vacuum up spillage an and storage	Physical hazards N/A ipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additiona Collect spillage. Ind collect in suitable container for
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi NFPA Health 4 Personal Precautions Environmental Precautions Methods for Containment and Cle	reathing apparatus pressure-o tion can lead to release of irrit Flammability 1 6. Accidental re Ensure adequate ventilatio and upwind of spill/leak. E Do not flush into surface v contaminate ground water should be advised if signif ecological information. Ave can Avoid dust formation. Swe disposal. 7. Handling Do not get in eyes, on skir	Instability 0 Iease measures on. Use personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contai bid release to the environment. ep up or vacuum up spillage an and storage	Physical hazards N/A ipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additiona Collect spillage. Ind collect in suitable container for Use only under a chemical fume
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi NFPA Health 4 Personal Precautions Environmental Precautions Methods for Containment and Cle Up	reathing apparatus pressure-o tion can lead to release of irrit Flammability 1 6. Accidental re Ensure adequate ventilatio and upwind of spill/leak. E Do not flush into surface v contaminate ground water should be advised if signif ecological information. Ave can Avoid dust formation. Swe disposal. 7. Handling Do not get in eyes, on skir hood. Wear personal prote formation.	Instability 0 Iease measures on. Use personal protective equivacuate personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contai bid release to the environment. ep up or vacuum up spillage an and storage n, or on clothing. Do not ingest.	Physical hazards N/A ipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additiona Collect spillage. Ind collect in suitable container for Use only under a chemical fume he vapors/dust. Avoid dust
Sulfur oxides Protective Equipment and Precau As in any fire, wear self-contained bi protective gear. Thermal decomposi NFPA	reathing apparatus pressure-of tion can lead to release of irrit Flammability 1 6. Accidental re Ensure adequate ventilation and upwind of spill/leak. End Do not flush into surface we contaminate ground water should be advised if signif ecological information. Ave ean Avoid dust formation. Sweet disposal. 7. Handling Do not get in eyes, on skir hood. Wear personal protection. Keep containers tightly closed	Instability 0 Iease measures on. Use personal protective equivacuate personal protective equivacuate personnel to safe areas vater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contained release to the environment. ep up or vacuum up spillage and and storage and storage of or on clothing. Do not ingest. ective equipment. Do not breath	Physical hazards N/A ipment. Keep people away from s. Avoid dust formation. Do not allow material to entering drains. Local authorities ined. See Section 12 for additiona Collect spillage. Ind collect in suitable container for Use only under a chemical fume he vapors/dust. Avoid dust

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mercurous sulfate	TWA: 0.025 mg/m³ Skin	(Vacated) Ceiling: 0.1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>
Component	Quebec	Mexico OFL (TWA)	Ontario TWAEV

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Mercurous sulfate	TWA: 0.025 mg/m³ Skin	TWA: 0.05 mg/m³	TWA: 0.025 mg/m³ Skin

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties						
Physical State	Powder Solid					
Appearance	Beige					
Odor	No information available					
Odor Threshold	No information available					
рН	No information available					
Melting Point/Range	No data available					
Boiling Point/Range	No information available					
Flash Point	No information available					
Evaporation Rate	Not applicable					
Flammability (solid,gas)	No information available					
Flammability or explosive limits						
Upper	No data available					
Lower	No data available					
Vapor Pressure	No information available					
Vapor Density	Not applicable					
Specific Gravity	No information available					
Solubility	0.6 g/L @ 25 °C					
Partition coefficient; n-octanol/water	No data available					
Autoignition Temperature						
Decomposition Temperature	No information available					
Viscosity	Not applicable					
Molecular Formula	Hg2 O4 S					
Molecular Weight	497.24					
-						

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents, Strong acids
Hazardous Decomposition Product	<b>s</b> Sulfur oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

# 11. Toxicological information

# Acute Toxicity

# **Product Information**

Component Informa	ation							
Componer	nt	LD50 Oral	LD50 Oral LD50 Dermal LC50 Inhalation					
Mercurous sul		205 mg/kg (Rat)	205 mg/kg (Rat) 1175 mg/kg (Rat) Not listed					
Toxicologically Syn	ergistic	No information av	No information available					
Products								
Delayed and immed	liate effects	as well as chronic effe	ects from short ar	nd long-term expo	sure			
Irritation		No information av	vailable					
Sensitization		No information av	ailable					
Carcinogenicity		The table below in	ndicates whether e	ach agency has lis	ted any ingredient a	as a carcinogen.		
Component	CAS-No	D IARC	NTP	ACGIH	OSHA	Mexico		
Mercurous sulfate	7783-36	-0 Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information av	ailable					
Reproductive Effect	ts	No information av	ailable.					
Developmental Effe	cts	No information av	ailable.					
Teratogenicity		No information av	ailable.					
STOT - single expos STOT - repeated ex		Respiratory syste Kidney	Respiratory system Central nervous system (CNS) Kidney					
Aspiration hazard		No information av	No information available					
	,both acute	and No information av	d No information available					
delayed Endocrine Disrupto	r Informatio	n No information av	No information available					
Other Adverse Effe	cts	5	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.					

# 12. Ecological information

Ecotoxicity Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

### Persistence and Degradability **Bioaccumulation/Accumulation**

Insoluble in water No information available.

### Mobility

Is not likely mobile in the environment due its low water solubility.

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT	
UN-No	UN1645
Proper Shipping Name	MERCURY SULFATES
Hazard Class	6.1
Packing Group	ll
TDG	
UN-No	UN1645
Proper Shipping Name	MERCURY SULFATE
Hazard Class	6.1
Packing Group	II
IATA	
UN-No	UN1645
Proper Shipping Name	MERCURY SULPHATE
Hazard Class	6.1
Packing Group	II
IMDG/IMO	
UN-No	UN1645
Proper Shipping Name	MERCURY SULPHATE
Hazard Class	6.1
Subsidiary Hazard Class	Р
Packing Group	II
	15. Regulatory information
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

# International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Mercurous sulfate	-	Х	-	231-993-0	-		Х	-	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Not applicable

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

# TSCA 12(b)

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold	

			Values %
Mercurous sulfate	7783-36-0	97	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Mercurous sulfate	-	-	Х	-	

# Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Mercurous sulfate	Х		-

**OSHA** Occupational Safety and Health Administration Not applicable

# CERCLA

Not applicable

# **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California P	California Prop. 65		o 65 NSRL	Category		
Mercurous sulfate	7783-36-0	Developm	Developmental		-	Development	Developmental	
State Right-to-Know								
Component	Massachusetts	New Jersey	Penns	ylvania	Illinois	Rhode Isl	and	
Mercurous sulfate	-	Х	)	K	Х	-		

# U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Y

# **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D1A Very toxic materials D2B Toxic materials



# 16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 15-Sep-2014 12-Aug-2015 12-Aug-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

### Disclaimer

Prepared By

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**