

Print date: 26.05.15

SECTION 1. Identification of the substance/mixture and of the company Product identifier Name Used on Label : Thermal C10 Order-No. (5 Liter) 8891405 : Order-No. (10 Liter) : 8891404 Order-No. (55 Gal Drum): 8891302 Company JULABO U.S.A., INC : Manufactured for: 884 Marcon Blvd ALLENTOWN, PA 18109 / U.S.A. Phone [+1] 610-231-0250 Fax [+1] 610-231-0260 : E-mail : info@julabo.com www.julabo.com Internet : Emergency Information :CHEMTREC 1-800-424-9300 :Polydimethylsiloxane Trade name Industrial use only Recommended use : temperature control liquid Application working temperature range -20 °C - +160 °C

SECTION 2. Hazards identification

Physical hazards	Not classified	
Health hazards	Not classified	
Environmental hazards	Not classified	
OSHA defined hazards	Not classified	
*Hazards not stated here are "Not classified", "Not applicable", or "Classification not possible"		

Label Elements

Hazard symbol	None	
Signal word	None	
Hazard stateme	nt Not available	
Precautionary statement	t	
Prevention	Not available	
Response	Not available	
Storage	Not available	
Disposal	Not available	
Hazard(s) not otherwise classifie	d (HNOC) None known	
Supplemental information	None	

HMIS Ratings:

Health: 0

Flammability: 1

Physical hazard: 0

SECTION 3. Composition / information on ingredients

Substances

Chemical Name	CAS number	%
Polydiimethylsiloxane	63148-62-9	100

Dangerous components

Not applicable

SECTION 4. First aid measures

Description of first aid measures General information: Inhalation Skin contact JULABO USA, Inc.

No special measures required Supply fresh air; consult doctor in case of complaints. Wash skin with soap and water www.julabo.com



Eye contact Ingestion

Rinse immediately with plenty of water for at least 15 minutes Rinse mouth. Get medical attention immediately.

Most important symptoms/effects, acute and delayed Indication of immediate medical attention and special treatment needed

Not available Treat symptomatically.

SECTION 5. Firefighting measures

Flash point:	>214 °F / >101.1 °C (Closed Cup)
Autoignition temperature:	>752 °F / >400 °C
Flammability Limits in Air:	Not determined
Suitable extinguishing media	Water spray. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water with full jet
Specific hazards arising from the chemical	By heating and fire, harmful vapors / gases may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.
Fire-fighting equipment / Instructions	Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Particular danger of slipping on leaked / spilled product. **Environmental precautions**

Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, sawdust, acid binders, universal binders)

SECTION 7. Handling and storage

 Precautions for safe handling

 Keep receptacles tightly sealed. Do not breathe mist or vapor. Provide adequate ventilation.

 Information about fire - -and explosion protection

 No special measures required

 Conditions for safe storage, including any incompatibilities

 Store in a cool, dry place out of direct sunlight. Keep in original container.

 Storage class:
 VCI: 10

 Specific end use(s):
 No additional information available.

SECTION 8. Exposure controls / personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Provide eyewash station
Individual protection measures, such as	personal protective equipment
Eye/face protection	Use proper protection – safety glasses as a minimum
Skin protection	
Hand protection	Wear protective gloves
Other	No special protective equipment required
Respiratory protection	If ventilation is insufficient when heating use chemical respirator with organic vapor cartridge.
Thermal hazards	Not available

General hygiene considerations

Safety Data Sheet / Product Details Thermal C10 Version: 2.1 Reviewed on 04.05.2015



Wash hands before breaks and immediately after handling product. Handle in accordance with good industrial hygiene and safety practice. This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential cancer hazard. Safe handling conditions may be maintained by keeping vapor concentrations within the OSHA Permissible Exposure Limit for formaldehyde.

SECTION 9. Physical and chemical properties

v		
Physical Form	Liquid	
Color	Colorless	
Odor	Odorless	
Density	0.935 (@ 25 °C)	
Viscosity	10 cSt (@ 25 °C)	
рН	Not available	
Freezing / melting point	Not available	
Initial boiling point / boiling range	>205 °C	
Flash point	>214 °F / >101 °C (Closed Cup)	
Auto-ignition temperature	>752 °F/>400 °C	
Decomposition temperature	Not available	
Evaporation rate	Not available	
Volatile content	Not available	
Flammability (solid , gas)	Not applicable	
Upper / lower flammability or explosive limits		
Flammability limit – lower (%)	Not available	
Flammability limit – upper (%)	b) Not available	
Explosive limit – lower (%)	Not available	
Explosive limit – upper (%)	Not available	
Vapor pressure	Not available	
Vapor density	Not available	
Solubility in water	Insoluble	

Above information is not intended for use in preparing product specifications.

SECTION 10. Stability and reactivity

Ŭ	
Reactivity	Product stable and non-reactive under normal conditions of use,
	storage and transport.
Chemical stability	Stable at normal conditions
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Thermal decomposition of this product during fire or very high heat
	conditions may evolve the following decomposition products: Carbon
	oxides and traces of incompletely burned carbon compounds. Silicon
	Dioxide. Formaldehyde.

SECTION 11. Toxicological information

Information on likely routes of exposure	
Ingestion	Not available
Inhalation	Not available
Skin contact	Not available
Eye contact	Contact of the product with the human eye may result in a harmless and reversible clouding of sight which is of short duration, caused by formation of an oil film on the cornea.

Symptoms related to the physical, chemical and toxicological characteristicsInformation on toxicological effectsNot availableAcute toxicityNot availableSkin corrosion / irritationNot available

JULABO USA, Inc.

www.julabo.com



Print date: 26.05.15

Serious eye damage / eye irritation	Not available
Respiratory or skin sensitization	
Respiratory sensitization	Not available
Skin sensitization	Not available
Germ cell mutagenicity	Not available
Carcinogenicity	
OSHA Specifically Regulated Su	ubstances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	Not available
Specific target organ toxicity – single exp	osure Not available
Specific target organ toxicity – repeated of	exposure Not available
Aspiration hazard	Not available
Further information	When used and handled according to specifications, the product does
	not have any harmful effects to our experience and the information
	provided to us.

Test Results

2.36-4.15 mg/L, 96 h

SECTION 12. Ecological information

82011011			
Exotoxicity			
Product	Polydimethylsi	loxane (CAS [63148-62-9])	
Aquat	tic Speci	es	
LC501	Fish Chanı	nel catfish (Ictalurus punctatus)	
D • /		NT / 1111	
Persistence and	d degradability	Not available	

Not available

Not available

Not available

Persistence and degradability **Bioaccumulative potential** Mobility in soil Other adverse effects

SECTION 13. Disposal considerations

Disposal instructions

Follow applicable Federal, State and Local regulations

SECTION 14. Transport information

DOT	Not regulated as dangerous goods.
ΙΑΤΑ	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Transport / Additional information Not dangerous according to the above specifications.

SECTION 15. Regulatory information

US Federal regulations	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050	1)
Not listed.	
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
SARA 313 (TRI reporting)	
None present or not present in regulated quantities.	
DOT Road Shipment Information (49 CFR 172.101)	
Not subject to DOT.	
Ocean Shipment (IMDG)	
Not subject to IMDG code.	
Air Shipment (IATA)	
Not subject to IATA regulations	
US state regulations	
Massachusetts RTK – Substance List	Not regulated

Massachusetts RTK – Substance List New Jersey Worker and Community Right-to-Know Law



Print date: 26.05.15

CAS Number [63148-62-9]>60 wt%PolydimethylsiloxanePennsylvania Worker andCommunity Right-to-Know LawCAS Number [63148-62-9]>60 wt%PolydimethylsiloxaneRhode Island RTKNot regulatedCalifornia Proposition 65None known

International Inventories

Polydimethylsiloxane [63148-62-9]
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing * New Chemical Substances) inventory
Listed on the Canadian Domestic Substances List (DSL)
Listed on KECI (Korean Existing Chemicals Inventory)
Listed on USA Toxic Substances Control Act (TSCA)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on NZloC (New Zealand Inventory of Chemicals)
Listed on the AICS (Australian Inventory of Chemical Substances)

SECTION 16. Other information


This document was created on 4 May 2015.

NFPA ratings

- Health:
- 0 Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
- 1- Must be preheated before ignition can occur

Flammability: 1–1 Instability: 0-1

0 - Normally stable, even under fire exposure conditions, and not reactive with water.



DISCLAIMER

Information presented herein has been compiled from information provided to us by our suppliers and other sources considered to be dependable and are accurate and reliable to the best of our knowledge and belief but are not guaranteed to be so. We make no warranty as to the results to be obtained in using any material and since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, JULABO USA, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.